*Commonwealth of Virginia*

*VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY*

1111 E. Main Street, Suite 1400, Richmond, Virginia 23219
P.O. Box 1105, Richmond, Virginia 23218
(800) 592-5482 FAX (804) 698-4178
www.deq.virginia.gov

Travis A. Voyles
Secretary of Natural and Historic Resources

Michael S. Rolband, PE, PWD, PWS Emeritus
Director
(804) 698-4020

April 26, 2023

RE: Local Government Notification of Proposed Draft Groundwater Withdrawal Permit GW0039702

Dear Local Official:

The Department of Environmental Quality has received an application to withdraw groundwater in the Eastern Virginia Groundwater Management Area. Part V of the Groundwater Withdrawal Regulations requires that the Department of Environmental Quality send a notice of every draft permit to the board of each local governing body located within the groundwater management area where the proposed withdrawal will occur prior to the date of public notice.

In accordance with section 9VAC25-610-250 B, please find the attached notice that will be advertised in the Tidewater News on April 26, 2023. The notice will be available on the DEQ website by the start of the Public Notice period. Additional information on the permit application may be obtained by contacting me.

The Department will accept comments concerning the proposed issuance of this draft permit for thirty days. All comments must be received by May 26, 2023.

Sincerely,

Hannah Hervey
Water Withdrawal Permitting Program

Public Notice – Environmental Permit

PURPOSE OF NOTICE: To seek public comment on a draft permit from the Department of Environmental Quality (DEQ) for the withdrawal of ground water in Southampton County, Virginia.
PUBLIC COMMENT PERIOD: April 26, 2023 to May 26, 2023
PERMIT NAME: Ground Water Withdrawal Permit issued by DEQ pursuant to applicable water laws and regulations
APPLICANT NAME, ADDRESS AND PERMIT NUMBER: Southampton County; 26022 Administration Center Drive, Courtland, VA 23837; GW0039702
NAME AND LOCATION OF WATER WITHDRAWAL: Edgehill Well System; 33230 Edgehill Drive, Franklin, VA 23851
PROJECT DESCRIPTION: Southampton County has applied for a reissuance of a permit for a municipal public water supply. The permit would authorize the applicant to withdraw a maximum of 8,600,000 gallons per year and 1,600,000 gallons per month from the Potomac aquifer. The ground water withdrawal will support providing potable water for a municipal public water supply. The proposed withdrawal will utilize the Potomac aquifer at a depth between 300 feet to 330 feet below the land surface at the withdrawal site. An aquifer is a body of rock or layer of sediment in the ground in which ground water is stored and transported. DEQ has made a tentative decision to issue the permit.
AFFECTED AREA: Computer modeling predicts that the aquifer will not experience one foot of drawdown due to the withdrawal.
HOW TO COMMENT AND/OR REQUEST A PUBLIC HEARING: DEQ accepts comments and requests for public hearing by hand-delivery, e-mail, fax or postal mail. All comments and requests must be in writing and be received by DEQ during the comment period. Submittals must include the names, mailing addresses or email addresses of the commenter/requester and of all persons represented by the commenter/requester. A request for public hearing must also include: 1) The reason why a public hearing is requested. 2) A brief, informal statement regarding the nature and extent of the interest of the requester or of those represented by the requestor, including how and to what extent such interest would be directly and adversely affected by the permit. 3) Specific references, where possible, to terms and conditions of the permit with suggested revisions. A public hearing may be held, including another comment period, if public response is significant, based on individual requests for a public hearing, and there are substantial, disputed issues relevant to the permit.
CONTACT FOR PUBLIC COMMENTS, DOCUMENT REQUESTS AND ADDITIONAL INFORMATION: Eric Seavey; Central Office, P.O. Box 1105, Richmond, VA, 23218; Phone: 804-754-6250; E-mail: eric.seavey@deq.virginia.gov; FAX: 804-698-4178 The public may review the draft permit and application at the DEQ office named above {by appointment} or may request copies of the documents from the contact person listed above.